

*American Standard*

STORE COPY ONLY

LIFE.LOVE.HOME





# Contents

## Introduction

- Raising The Standard
- Our Milestones
- Our Brand Pillars
- Design Values
- Signature Elements
- Our Awards
- Hygiene Clean System
- Key Technologies

## Bathroom Collections

Acacia SupaSleek	22
Signature	24
Cygnets	30
EasySET	40
SpaLet® E-Bidet	46
Heron	50
Studio	54
Tonic Wave	58





Basin and Accessories not available in New Zealand.

# LIFE.LOVE.HOME


We are passionate about improving the standard of living in ways big and small. We care about every moment, every detail, to transform your living space to make **life** better.

It all starts with understanding those who will use our products. We empathize with them, then we craft around them. We want people to appreciate the small moments and enjoy the time they spend with those they care about most.

We've been improving **homes** around the world, designing purposeful bathroom and kitchen products for over a century. We want to inspire people to create a **home** they will **love** every day.

American Standard. **Life. Love. Home.**


# Our heritage



James Arnott and Francis Torrance start Standard Manufacturing.

American Radiator & Standard Sanitary Corporation merge.

Name shortened to American Standard.



Entry to Asia Pacific Market: 1st American Standard factory in Philippines.

American Standard establishes its first factory in China as one of the first sanitary ware brands to enter the market.

All faucets are lead-free, and WaterSense certified. \*USA only

LIXIL Group purchases American Standard Brands.



HygieneClean™ System utilises multiple technologies, to ensure ultimate hygiene protection.

GENIE™ is a specially engineered pressureboosting hand shower that delivers a strong water pressure that is also gentle on the skin.

EasySET™ Exposed Auto-Temperature Mixer allows you to enjoy an uninterrupted shower experience at the right temperature and water volume with just a push of a button and a turn of the dial.



Purposefully designed with an easy push on/off button, the EasyFLO™ Collection is especially handy when needing to turn water on with dirty or soapy hands!

American Standard launches the Reference Line, introducing the brand's signature elements.

DuoSTiX™ Hygiene Spray is a multipurpose spray that is both gentle on the skin and thorough on bathroom stains.

American Standard reveals its unified brand identity, bringing global consistency to its brand expression.



# Brand values

## Dependable

For over a century, our products have proven to be **trustworthy** purchases. They have made bathrooms and kitchens **safe**. Beautiful, but also **rational**, they are designed for a specific purpose in a **simple** way. Always, easy to use and built to last.

## Inviting

Always in the background of your life, good design supports the **sensorial** elements that transform a space into a home. It invites a **comfortable, caring, and casual** approach to living that is at the heart of our brand purpose.

## Pioneering

We are **passionate** about the products we make and innovate with a view towards a **progressive, optimistic,** and equally **authentic** user experience that emulates our company values.

A close-up photograph of a chrome faucet handle from the American Standard brand. The handle is cylindrical with a ribbed texture and is mounted on a square, polished chrome plate. The words "American Standard" are engraved in a cursive font on the upper part of the plate. A person's hand is shown on the left, holding the handle, and another hand's index finger is pointing at the top of the handle on the right. The background is a dark, textured surface.


American  
Standard



# Signature elements




**Pillow**




As a user-centric brand, American Standard products are **Inviting**. The gentle **Pillow** shape, with soft rounded corners and accelerating curvatures, display the products' human nature.




**Taper**



American Standard is **Dependable**. This is expressed in the sturdy, solid **Tapered** shape of the product that communicates stability, reliability and trust.



**Frame**



In true American tradition, American Standard is **Pioneering**. **Frame** highlights insight-based feature innovation, bringing into focus what makes our products easier to use and what brings true value to our user's everyday life.



# Our awards

Any form of recognition is always appreciated and tells us that we are doing things the right way but more importantly, it drives us to go further and beyond to improve our offerings to enhance daily living in and around the bathroom and kitchen.



reddot award 2018  
winner



# Key technologies




Everything we do stems from our desire to deliver real everyday solutions that improve living in and around the bathroom and bring value to both consumers and commercial partners.

## Toilet Technologies

# HygieneCleanSystem

### FLUSHING TECHNOLOGY



 **DOUBLE VORTEX**  
Maximum flushing performance, minimum water usage.  
Only available on selected models

### ANTI-STAIN TECHNOLOGY



 **AQUA CERAMIC**  
Super hydrophilic technology prevents dirt and dark ring stains from sticking to ceramic surface.  
 **GOOD DESIGN AWARD 2016 GOLD AWARD**  
Only available on selected models

### ANTI-BACTERIAL TECHNOLOGY




 **COMFORTCLEAN**  
Effectively inhibits E. coli bacteria according to tests carried out by microbiology lab IMSL - Industrial Microbiological Services Ltd.  
Only available on selected models





## Toilets & Basins


### HYGIENE COMFORT





 **DOUBLE VORTEX**  
Maximum flushing performance, minimum water usage.

 **AQUA CERAMIC**  
Super hydrophilic technology prevents dirt and dark ring stains from sticking to ceramic surface.

 **COMFORTCLEAN**  
Effectively inhibits E. coli bacteria according to tests done by IMSL.


 **OVER HEIGHT**  
Easy to get on and off, especially for the elderly, pregnant and disabled.


 **COMFORT PUSH BUTTON**  
A larger surface area for ease of use.


 **COMFORT CURVE SEAT**  
An ergonomic fit that comfortably contours to the body.


### CONVENIENCE




 **RIMLESS-CLEAN**  
Hygienic and easy to clean.

 **SKIRTED DESIGN**  
Premium design allows for quick and easy exterior cleaning.


 **SOFT-CLOSE SEAT**  
Gentle and quiet closing action.

 **EASY RELEASE**  
Easy removal for thorough cleaning.

 **CRYSTASLEEK**  
Sleek, slim and durable seat and cover for a timeless style.

### CONVENIENCE




 **THINEGE TECHNOLOGY**  
Made with our latest technology for a sleek silhouette.


## Showers and tapware


### SUSTAINABILITY





 **CLICKMOVE**  
Provides 40% water savings with ease of control.


 **ECOSTART**  
Provides up to 30% energy savings.


 **AIRNERGIZE**  
Air-infused water provides a luxurious shower experience while using less water.


 **WATER SAVING**  
Water-saving for ecological and economical benefits.


 **COMFORT ANGLE**  
Adjustable water flow angle for a comfortable, perfect splash-proof experience.

 **DURASHINE**  
Shiny chrome finishing gives an enduring brilliance.

 **PUSH & TURN**  
Dial adjusts water volume easily and offers daily convenience at the push of a button.

 **PETAL PRESSURE**  
Delivers a consistent shower experience which is gentle and kind to your skin.

 **EASYSLEEK**  
Removable back covers, help clean clogs for a perfectly clean shower.

 **COMFORTMOVE**  
Smooth handle performance for optimal precision and comfort.

### THERMOSTATIC MIXER









 **THERMOSAFE**  
Safety temperature control up to 43°C, with an auto shut-off function when cold water supply fails.

 **THERMOCOMFORT**  
Provides a constant and comfortable temperature.

## ADVANCED CLEANING







-  **DUAL NOZZLES**  
Equipped with dedicated front and rear cleansing nozzles.
-  **POSTERIOR CLEANSING**  
Offers a strong, direct spray for a thorough cleanse.
-  **FEMININE AIR BUBBLE SOFT CLEANSING**  
A gentle flow of warm aerated water provides a soothing shower for comfort and care.
-  **ONE-TOUCH CLEANSING**  
Suitable for both elderly and children, one-touch cleansing activates the posterior/feminine cleansing & dryer functions consecutively at the touch of a button.

-  **DEODORIZER**  
The deodorizer is activated as soon as the user is seated.
-  **SELF-CLEANING NOZZLES**  
Nozzle tips are rinsed with water before and after every use.
-  **NOZZLE SHUTTER**  
A nozzle shutter prevents waste materials from getting to the nozzle tips, thus ensuring better hygiene.

## COMFORT



-  **INSTANT HEATING SYSTEM**  
Instant heating system offers instant and constant warm water for comfort.
-  **HEATED SEAT**  
Temperature can be easily adjusted for comfort.
-  **MASSAGE**  
The spray alternates between strong and mild sprays, creating a massaging effect that indulges the user.
-  **DRYER**  
Temperature can be easily adjusted for comfort. Computer-memorized settings allow one to keep the same settings as the previous user's.




## ANTIBACTERIAL PROTECTION



-  **ANTIBACTERIAL PROTECTION**  
Uses antibacterial resin on seat, cover, nozzle and control panel. Certified to SIAA ISO 22196 standard for antibacterial efficacy (seat only).
-  Anti-bacterial protection is certified to SIAA ISO 22196 standard.




## CONVENIENCE



-  **QUICK-DETACH SEAT COVER**  
The design of the seat cover allows it to be easily detached for convenient cleaning of hard-to-reach areas.
-  **SLOW-CLOSING SEAT & COVER**  
Gentle and quiet closing action.
-  **CONTROL PANEL**  
All bidet functions can be easily operated via a control panel.

## ENERGY & WATER SAVING



-  **ONE-TOUCH POWER SAVER**  
Under the power saving mode, water heating and seat heating functions will stop, while cleansing and flushing will still operate. The SpaLet® will resume to its original settings after 8 hours.
-  **WATER SAVING**  
Water-saving for ecological and economical benefits.
-  **CIRCUIT BREAKER**  
Power supply will automatically be cut off under unusual situations, helping to conserve energy.



# Collections



## Acacia SupaSleek

Best of design & technology, just got sleeker.



## Signature

Heralding a new era.



## Cygnnet

Elegant. Flexible. Everyday.



## EasySET

For extreme shower enjoyment.



## SpaLet® E-Bidet

A seat above the rest.



## Heron


Classic. Practical. Timeless.



## Studio

Smart. Practical. Space-saving.

# Acacia SupaSleek




**Acacia SupaSleek**  
Square Vessel Basin

The best of design & technology, just got sleeker.


Just 5mm thin. Acacia SupaSleek's ThinEdge ceramic is a stunning centrepiece to your bathroom, with a sleek silhouette that feels as much an art piece as a lasting design.

## Acacia SupaSleek / Basins




**Acacia SupaSleek**  
Square Vessel Basin  
CCASF412-1000410N1

420mmL x 420mmW x 110mmH  
0 taphole  
No Overflow




**Acacia SupaSleek**  
Vessel Basin  
CCASF412-1000410N0

380mmL x 550mmW x 110mmH  
0 taphole  
No Overflow




**Acacia SupaSleek**  
Semi Recessed Basin  
CCASF419-1010411N0

380mmL x 550mmW x 110mmH  
1 taphole  
Overflow



**Acacia SupaSleek**  
Counter Top Basin  
CCASF420-1010411F0

600mmL x 450mmW x 110mmH  
1 taphole  
Overflow



**Acacia SupaSleek**  
Wall Hung Basin  
CCASF421-1010411F0

600mmL x 450mmW x 110mmH  
1 taphole  
Overflow





# Signature




## Heralding a new era.

Exceptional design and technology are our signature. The Signature range features modern designs that combine sleek shapes, pillowed surfaces and defined edges. Advanced technologies ensure long-lasting functionality and convenience, achieving superior performance in any bathroom.



**Signature**  
Basin and Basin Mixer

Signature / Tapware




**Signature Basin Mixer**  
FFAS1701-101500ZNO


Reach: 101mm  
WELS 5 Star, 6 ltrs/min



Signature / Tapware




**Signature Bath & Shower Mixer with Diverter**  
FFAS1721-609500ZNO




**Signature Wall Mount Basin Mixer**  
FFAS1704-101500ZNO

Reach: 198mm  
WELS 5 Star, 6 ltrs/min




**Signature Shower Mixer**  
FFAS1722-709500ZNO



**Signature Extended Basin Mixer**  
FFAS1702-101500ZNO

Reach: 155mm  
WELS 5 Star, 6 ltrs/min




**Signature Wall Mount Basin Mixer**  
FFAS1704-601500ZNO

Reach: 98mm






# Signature / Basins




**Signature Semi Insert Basin**  
CCAS0420-1010410R0

551mm x 429mm  
1 taphole  
Overflow




**Signature Semi Recessed Basin**  
CCAS0320-1010410R0

545mm x 435mm  
1 taphole  
Overflow



**Signature Counter Basin**  
CCAS0618-1010411N0


551mm x 429mm  
1 taphole  
Overflow



**Signature Vessel Basin**  
CCAS0628-0000411N0

551mm x 399mm  
0 taphole  
Overflow


# Signature / Toilets



**Signature Wall Hung Toilet Suite**

WH + SPALET: SIGWALLHUNGSPA  
WH + CRYSTASLEEK SEAT: SIGWALLHUNGCRYS  
WH + STD SEAT: SIGWALLHUNGSTD


Soft close, quick release seat  
WELS 4 Star, 4.5/3 ltrs/min  
Average flush: 3.5 ltrs  
P Trap: 220mm



**Signature Back to Wall Toilet Suite**

BTW + SPALET: SIGBTWSPA  
BTW + CRYSTASLEEK SEAT: SIGBTWCRYSTA  
BTW + STD SEAT: SIGBTWSTD

Soft close, quick release seat  
WELS 4star, 4.5/3 ltrs/min  
Average flush: 3.5 ltrs  
S Trap : 90mm - 110mm  
P Trap: 180mm



**Signature Close Coupled Back to Wall Toilet Suite**

BACK INLET + SPALET: SIGCCBTWBKINSPA  
BACK INLET + CRYSTASLEEK SEAT: SIGCCBTWBKINCRYS  
BACK INLET + STD SEAT: SIGCCBTWBKINSTD  
BOTTOM INLET + SPALET: SIGCCBTWBTINSPA  
BOTTOM INLET + CRYSTASLEEK SEAT: SIGCCBTWBTINCRYS  
BOTTOM INLET + STD SEAT: SIGCCBTWBTINSTD

Soft close, quick release seat  
WELS 4 Star, 4.5/3 ltrs/min  
Average flush: 3.5 ltrs  
P Trap: 220mm



For further information on the SpaLet® E-bidet seat, please refer to page 46.

Cygnnet




## Elegant solutions to everyday needs.

Create your complete bathroom with Cygnnet. A flexible range which offers a full bathroom solution with elegant and timeless designs that deliver on functionality. Enhance your everyday experience with the latest technology from Cygnnet.




**Cygnnet**  
Round Vessel Basin






**Cygnet Basin Mixer**  
FFAS1301-102500ZNO

Reach: 117mm  
WELS 4 Star, 7.5 ltrs/min




**Cygnet Bath & Shower Mixer with Diverter Trim kit**  
FFAS1321-608500ZNO

Shower & Diverter mixers need Trim Set + Universal Box




**Cygnet Wall Mount Basin Mixer**  
FFAS1304-102500ZNO

Reach: 191mm  
WELS 4 Star, 7.5 ltrs/min



**Cygnet Shower Mixer Trim kit**  
FFAS1322-708500ZNO

Shower & Diverter mixers need Trim Set + Universal Box




**Cygnet Wall Mount Bath Mixer**  
FFAS1304-601500ZNO

Reach: 191mm



**Cygnet Universal Box**  
FFAS0625-000990ZNO



Inwall Body/ Universal rough in box



**Cygnet Extended Basin Mixer**  
FFAS1302-102500ZNO



Reach: 151mm  
WELS 4 Star, 7.5 ltrs/min







**Cygnet  
Brass Overhead Shower Round**  
FFASS036-006500BN0

1 spray pattern  
WELS 3 Star, 9 ltrs/min





**Cygnet  
Brass Overhead Shower Square**  
FFASS038-006500BN0

WELS 2 Star, 12 ltrs/min




**Cygnet  
Hand Shower Set Round**  
FFAS9A18-000500BN0

3 spray pattern  
Rain, Massage, Rain + Massage  
WELS 3 Star, 9 ltrs/min




**Cygnet  
Hand Shower Set Square**  
FFAS9A17-000500BN0

3 spray pattern  
Rain, Massage, Rain + Massage  
WELS 3 Star, 9 ltrs/min




**Cygnet  
Rail Shower Set Round**  
FFAS9A16-000500BN0

3 spray pattern  
Rain, Massage, Rain + Massage  
WELS 3 star, 9 ltrs/min




**Cygnet  
Rail Shower Set Square**  
FFAS9A15-000500BN0

3 spray pattern  
Rain, Massage, Rain + Massage  
WELS 3 star, 9 ltrs/min



**Cygnet  
Twin Shower System Round  
Water Inlet - Top**  
FFAS9061-093500BC0

Hand shower - 3 spray pattern  
Rain, Massage, Rain + Massage  
ABS overhead shower - 1 spray  
pattern Spray  
WELS 3 star, 9 ltrs/min




**Cygnet  
Twin Shower System Square  
Water Inlet - Top**  
FFAS9061-091500BC0

Hand shower - 3 spray pattern  
Rain, Massage, Rain + Massage  
ABS overhead shower - 1 spray  
pattern Spray  
WELS 3 star 9 ltrs/min






## Cygnet / Basins



**Cygnet  
Semi Insert Basin**  
CCASF414-1010410FO


500mm x 440mm  
1 taphole  
Overflow



**Cygnet  
Semi Insert Basin**  
CCASF646-0000410FO


553mm x 420mm  
0 taphole  
No Overflow

## Cygnet / Basins




**Cygnet  
Semi Recessed Basin**  
CCASO304-1010410FO

500mm x 441mm  
1 taphole  
Overflow



**Cygnet  
Wall Basin Pedestal**  
Basin: CCAS1511-1010410FO  
Full Pedestal: CCASF711-0000410FO  
Semi Pedestal: CCASF712-1000410FO

550mm x 460mm  
1 taphole  
Overflow  
Optional full & semi pedestal available  
Wall Brackets included




**Cygnet  
Round Vessel Basin**  
CL0509I-6DACTLA

400 mm  
0 taphole  
Overflow



### Cygnet Hygiene Rim

Our favourite toilet now comes with an updated sleek design with both round and square cisterns along with standard and raised height pan options to suite any bathroom solution or design. Bringing you "Hygiene Rim" a rimless bowl for ease of cleaning. Powered by Double Vortex Flushing technology for maximum flushing performance. Cygnet Hygiene Rim revolutionises "Rimless" to deliver a superior flush every time.




### Cygnet Hygiene Rim Square Close Coupled Back to Wall Toilet Suite

BACK INLET + THIN SEAT: CYGNETSQBKIN  
 BACK INLET + SPALET: CYGNETSQBKINSPA  
 BOTTOM INLET + THIN SEAT: CYGNETSQBKTIN  
 BOTTOM INLET + SPALET: CYGNETSQBKTINSPA

Soft Close, Quick Release Seat  
 WELS star 4.5/3 ltrs/flush  
 Average flush : 3.5 ltrs  
 S Trap : 140mm - 260mm  
 (180 mm recommended)  
 P Trap : 190mm  
 Bottom and back inlet available




## Cygnet / Toilets



### Cygnet Hygiene Rim Round Close Coupled Back to Wall Toilet Suite

BACK INLET + THIN SEAT: CYGNETRDBKIN  
 BACK INLET + SPALET: CYGNETRDBKINSPA  
 BOTTOM INLET + THIN SEAT: CYGNETRDBKTIN  
 BOTTOM INLET + SPALET: CYGNETRDBKTINSPA


Soft Close, Quick Release Seat  
 WELS star 4.5/3 ltrs/flush  
 Average flush : 3.5 ltrs  
 S Trap : 140mm - 260mm  
 (180 mm recommended)  
 P Trap : 190mm  
 Bottom and back inlet available



### Cygnet Hygiene Rim Square Overheight Close Coupled Back to Wall Toilet Suite

BACK INLET + THIN SEAT: CYGNETOHSQBKIN  
 BACK INLET + SPALET: CYGNETOHSQBKINSPA  
 BOTTOM INLET + THIN SEAT: CYGNETOHSQBKTIN  
 BOTTOM INLET + SPALET: CYGNETOHSQBKTINSPA

Soft Close Seat  
 WELS 4 star, 4.5/3 ltrs/flush  
 Average flush: 3.5 ltrs  
 S Trap: 140mm-260mm (180mm recommended)  
 P Trap: 190mm  
 Bottom and back inlet available  
 Raised height pan



### Cygnet Hygiene Rim Round Overheight Close Coupled Back to Wall Toilet Suite

BACK INLET + THIN SEAT: CYGNETOHRNDBKIN  
 BACK INLET + SPALET: CYGNETOHRNDBKINSPA  
 BOTTOM INLET + THIN SEAT: CYGNETOHRNDBKTIN  
 BOTTOM INLET + SPALET: CYGNETOHRNDBKTINSPA

Soft Close Seat  
 WELS 4 star, 4.5/3 ltrs/flush  
 Average flush: 3.5 ltrs  
 S Trap: 140mm-260mm (180mm recommended)  
 P Trap: 190mm  
 Bottom and back inlet available  
 Raised height pan



For further information on the SpaLet® E-bidet seat, please refer to page 46.



EasySET



## For extreme shower enjoyment.

EasySET is designed to elevate your shower experience to a brand new level of enjoyment and convenience. By integrating ergonomic designs and smart engineering, a comfortable and relaxing shower is now an everyday experience with just a convenient push of a button.

Customise your perfect shower by simply pre-setting your preferred water source, temperature and volume of water, and enjoy the same shower experience each time.





EasySET  
for Hand Shower







## EasySET / Mixers





**EasySET  
Thermostatic Mixer**  
FFAS0930-00500ZNO

151mm x 151mm





**EasySET  
for Hand Shower**  
FFAS0925-709500ZNO

151mm x 151mm




**EasySET  
for Overhead Shower**  
FFAS0926-709500ZNO

151mm x 151mm



**EasySET  
for Body Jet**  
FFAS0927-709500ZNO

151mm x 151mm



**Body Jet**  
FFASS054-000500ZNO

8L/min at 300 Kpa  
151mm x 151mm





## EasySET Product Bundle Suggestions



**EasySET Thermostatic Mixer with Cygnet Round**  
REFERENCE BUNDLE: A

Overhead + Hand Shower Set  
WELS 3 Star, 9 ltrs/min



**EasySET Thermostatic Mixer with Cygnet Square**  
REFERENCE BUNDLE: B

Overhead + Hand Shower Set  
WELS 3 Star, 9 ltrs/min



**EasySET Thermostatic Mixer with Cygnet Round**  
REFERENCE BUNDLE: C

Overhead + Rail Shower Set  
WELS 3 Star, 9 ltrs/min



**EasySET Thermostatic Mixer with Cygnet Square**  
REFERENCE BUNDLE: D

Overhead + Rail Shower Set  
WELS 3 Star, 9 ltrs/min



**EasySET Thermostatic Mixer with Cygne Round**  
REFERENCE BUNDLE: E

Rail Shower Set  
WELS 3 Star, 9 ltrs/min



**EasySET Thermostatic Mixer with Cygnet Square**  
REFERENCE BUNDLE: F

Rail Shower Set  
WELS 3 Star, 9 ltrs/min



**EasySET Thermostatic Mixer with Cygnet Round**  
REFERENCE BUNDLE: G

Twin Shower System Set  
WELS 3 Star, 9 ltrs/min



**EasySET Thermostatic Mixer with Cygnet Square**  
REFERENCE BUNDLE: H

Twin Shower System Set  
WELS 3 Star, 9 ltrs/min



# SpaLet® E-Bidet



SpaLet® E-Bidet displayed on Cygnet Hygiene Rim

## A seat above the rest.

Water cleans more thoroughly than paper. We believe this when it comes to showering, bathing, even washing your hands. Why not with the rest of what you do in the bathroom? With SpaLet® E-Bidet Toilet Seat, you can enjoy enhanced hygiene and personal comfort right in your own home.



SpaLet® E-Bidet

## SpaLet® E-Bidet / Toilet Seat



## Cleanliness is in the details.

Simplified and intuitive, the SpaLet® E-Bidet Seat makes it easier for you to achieve superior personal cleansing. Enjoy the benefits of washing with water paired with refreshing comfort and trouble free maintenance.

The SpaLet® E-Bidet, with its customisable features to fit your personal needs with five indulgent spray options.


With decades of proven innovation in SpaLet® category by our parent company that pioneered the technology in Japan, American Standard brings you state of the art technology to help you redefine personal hygiene and enjoy a new feeling of clean.

CEAS7SS1--0100510R0

- Dual Nozzles
- Posterior Cleansing
- Feminine Air Bubble Soft Cleansing
- One-Touch Cleansing
- Deodorizer
- Self-Cleaning Nozzles
- Nozzle Shutter
- Instant Heating System
- Heated Seat
- Massage
- Dryer
- Antibacterial Protection
- Quick-Detach Seat Cover
- Slow-Closing Seat & Cover
- Control Panel
- One-Touch Power Saver
- Water Saving
- Circuit Breaker



## SpaLet® E-Bidet / Control Panel




- A STOP & POWER**  
Stop function Power on/off.
- B POSTERIOR**  
For posterior cleansing only. Press twice for oscillating function.
- C FEMININE**  
For front feminine cleansing. Press twice for oscillating function. Press twice again for super oscillating function.
- D SPRAY STRENGTH**  
Adjusts spray strength for cleansing and bidet settings.
- E NOZZLE POSITION**  
Nozzle position adjustment for optimal cleansing.
- F SEAT TEMPERATURE**  
Adjusts warm heated toilet seat temperature.
- G WATER TEMPERATURE**  
Adjusts warm water temperature.
- H NOZZLE CLEANING**  
Nozzle self-cleaning function.
- I ECOMODE**  
Power-saving mode.
- J MASSAGE**  
The gentle, pulsating water massage helps achieve a better, more thorough clean.
- K DRYER**

## Specifications

		SpaLet® E-bidet Full Function
Dimensions (W x L x H)		472 x 511 x 173 mm (Short)
<b>Hygiene</b>		
Anti-Bacterial Protection	Seat (SIAA Standard)	✓
	Cover	✓
	Nozzle	✓
	Panel (Surface Only)	✓
Auto Deodorizer		✓
Nozzle		Dual Nozzles
Posterior Cleansing		✓
Feminine Cleansing		✓
Feminine Air Bubble Soft Cleansing		✓
One-Touch Cleansing		✓
Nozzle Position Adjustment		5 Levels
Self-Cleaning Nozzle		✓
Nozzle Shutter		✓
Oscillating		✓
<b>Comfort</b>		
Dryer (Adjustable Temperature)		3 Levels
Heated Seat (Adjustable Temperature)		3 Levels (with Auto-Off)
Warm Water Supply System		Hot Water Storage
Massage		✓
Water Pressure Adjustment		3 - 5 Levels
<b>Convenience</b>		
Type of Nozzle		PPE Nozzle
Quick-Detach Seat Cover		✓
Seat Sensor		✓
Slow-Closing Seat & Cover		✓
<b>Energy Saving</b>		
One-Touch Power Saver (8Hr)		✓


## SpaLet® E-Bidet / Right Fit Chart

GUIDE TO FINDING THE RIGHT E-BIDET TO FIT YOUR TOILET



Between mounting holes and front of bowl (D)	$412 \text{ mm} \leq D \leq 475 \text{ mm}$
Between mounting holes (E)	$130 \text{ mm} \leq E \leq 215 \text{ mm}$
Between tank and mounting holes (H)	$H \geq 25 \text{ mm}$
Between centre of rim and outside of bowl (A & B)	$A \geq 270 \text{ mm}$ $B \geq 195 \text{ mm}$
Between front and back of rim (C)	$314 \text{ mm} \leq C \leq 377 \text{ mm}$
Between mounting holes and back rim (F)	$F < 110 \text{ mm}$
Depth of mounting holes (G)	$G \geq 50 \text{ mm}$ (blind hole)

\*SpaLet® E-bidet seat can be retrofitted on Signature & Cygnet models.



This product must be installed in accordance with AS/NZS 3500 backflow protection requirements.

Heron



## Classic, practical and timeless.


Modern looks meet technology meets timeless design in our classic Heron range. The clean and contemporary, rectangular design fits every bathroom profile, pairs perfectly with corresponding bathrooms of any style, with matching basins that offer a cohesive look.



**Heron**  
Vessel Basin




## Heron / Basins




**Heron Vessel Basin**  
CCASF611-0000410R0

500mm x 400mm  
0 taphole  
No overflow




**Heron Under Counter Basin**  
CCASF514-1000410R0

500mm x 380mm  
0 taphole  
Overflow



**Heron Counter Basin**  
CCASF613-1010410R0


500mm x 450mm  
1 taphole  
Overflow



**Heron Semi Insert Basin**  
CCASF417-1010410R0


550mm x 460mm  
0 or 1 taphole  
Overflow

## Heron / Basins & Toilets



**Heron Semi Recessed Basin**  
CLO519I-6DACTLS

500mm x 460mm  
1 taphole  
Overflow



**Heron Hygiene Rim Close Coupled Back to Wall Toilet Suite**

**BOTTOM INLET: HERONBTIN**  
**BACK INLET: HERONBKIN**  
Soft Close, Quick Release Seat  
WELS 4 star, 4.5/3 ltrs/flush  
Average Flush: 3.5 ltrs  
S Trap : 90-140mm  
P Trap : 180mm  
Projection - 613mm  
Back and Bottom inlet available



# Studio




Smart, practical, space saving.

Put function first with Studio. Studio features practical designs and accessible styles for a reliable range that meets all your bathroom needs.




**Studio**  
Wall Basin 450

## Studio / Kitchen Mixers




**Studio**  
**Cast Sink Mixer**  
FFAS5639-591500ZRO

Reach: 240mm  
WELS 4 Star, 7.5 ltrs/min



**Studio**  
**Sink Mixer with Pullout Spray**  
FD1802-OGAA111AA

Reach: 205mm  
Dual spray function  
WELS 4 Star, 7.5 ltrs/min




**Studio**  
**Tubular Sink Mixer**  
FFAS5638-593500ZRO

Reach: 200mm  
WELS 4 Star, 7.5 ltrs/min





## Studio / Basins




**Studio  
Wall Basin 450**  
CLU03210-1CAAULW00

---

450mm x 300mm  
1 taphole  
Overflow  
Wall brackets included


## Studio / Basins



**Studio  
Semi Recessed Basin**  
CYT02010-1CAAULS00

---

500mm x 455mm  
1 taphole  
Overflow




**Studio  
Wall Basin 500**  
CLU03111-1CAAULW00

---

500mm x 425mm  
1 taphole  
Overflow  
Optional pedestal available  
Wall brackets included


CPM020F1-1CAAU0000: STUDIO FULL PEDESTAL WHITE



**Studio  
Vanity Basin**  
CCAS0479-0010410R0

---


555mm x 425mm  
1 taphole  
No overflow



**Studio  
Wall Basin 350**  
CLU03310-1CAAULW00

---

350mm x 250mm  
1 taphole  
Overflow  
Wall brackets included




**Studio  
Corner Wall Basin**  
CLU03410-1CAAULW00

---


450mm x 460mm  
1 taphole  
Overflow  
Wall brackets included

## Tonic Wave / Toilets & Wastes




**Tonic Wave**  
**Square Close Coupled Toilet Suite**  
 TONICCCSQUARE  
 TONICCCSQUARESPA

Soft Close, Quick Release Seat  
 WELS star 4.5/3 ltrs/flush  
 Average flush : 3.5 ltrs  
 S Trap : 140mm - 160mm  
 P Trap : 190mm  
 Bottom inlet only




**Tonic Wave**  
**Round Close Coupled Toilet Suite**  
 TONICCCROUND  
 TONICCCROUNDSPA

Soft Close, Quick Release Seat  
 WELS star 4.5/3 ltrs/flush  
 Average flush : 3.5 ltrs  
 S Trap : 140mm - 160mm  
 P Trap : 190mm  
 Bottom inlet only



**Ceramic Cover Plug & Waste with Overflow**  
 CC1-CN511M9A009618



**Ceramic Cover Plug & Waste**  
 CC1-CN511M9A009628





# *American Standard*

[www.americanstandard.co.nz](http://www.americanstandard.co.nz)

**PART OF LIXIL**

**Monaco Corporation Ltd**

231 Bush Road, Albany, North Shore City, New Zealand 0632.

#### **CUSTOMER CARE**

Monaco provide full customer support. Our friendly and experienced staff are here to help with any questions or comments you may have. Get in touch by phone or visit our website for more details.

#### **SPARE PARTS**

Spare parts can be ordered through our New Zealand based Customer Care Call Centre:

**Monaco Customer Call Centre: +64 9 415 6000**

Monday- Friday, 8.30am -5.30pm, excluding public holidays

[www.monacocorp.co.nz](http://www.monacocorp.co.nz)



[www.facebook.com/AmericanStandardNZ](https://www.facebook.com/AmericanStandardNZ)



Due to limitations in the printing process the colours in this brochure are a guide only. The manufacturer/distributor reserves the right to vary specifications or delete models from their range without prior notification. The manufacturer/distributor takes no responsibility for printing errors. American Standard products enjoy a 7 year product replacement warranty and a 1 year parts and labour warranty – domestic use only.

**MONACO**